

S/149/62/000/006/007/008  
A006/A101

AUTHORS: Kolesnikova, L. S., Adler, Yu. P., Turkovskaya, A. V.

TITLE: Comparing the sensitivity to intercrysalline corrosion of zinc-aluminum alloys

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Tsvetnaya metallurgiya, no. 6, 1962, 132 - 135

TEXT: Corrosion tests by the American ASTM method were made with zinc alloys with copper ЦАММг-4-1-0.05 (TsAMMg-4-1-0.05) and without copper ЦАМг-4-0.05 (TsAMg-4-0.05) manufactured on "ЦО" (ЦО) grade zinc base, of 99.96% purity. For comparison, the mechanical properties of the alloys prior to corrosion were determined by tensile tests of pressure-cast specimens, for 240, 271 and 516 hours. To determine a sensitivity criterion of intercrysalline corrosion, the results obtained were mathematically processed and the correlation of parameters  $\delta_8$ ,  $\delta$ , and  $A_1$  was investigated. For the TsAMg-4-0.05 alloy the possibility was established of using  $\delta_8$  as the sole criterion of intercrysalline corrosion. The data obtained from experimental results proved to be insufficient

Card 1/2

Comparing the sensitivity to...

S/149/62/000/006/007/008  
A006/A101

to establish an analogous criterion for alloy TaAMMg-4-1-0.05. Research in this direction is to be continued. It was observed that the scattering of results was considerably greater for specimens tested during 271 hours. This leads to the assumption that the addition of copper yields less stable results. At extended duration of the tests the correlation coefficients  $\delta_3$  and  $\frac{\Delta_1}{1}$ ,  $\delta_1$  and  $\frac{\Delta_1}{1}$  changed their signs, and their values decreased. This is understood as a result of the counter process of phase stabilization. There is 1 table.

ASSOCIATION: Moskovskiy institut stali i splavov (Moscow Institute of Steel and Alloys) Kafedra korrozii i zashchity metallov (Department of Corrosion and Metal Protection), Giredmet.

SUBMITTED: May 18, 1962

Card 2/2

SE UY-YU; TURKOVSKAYA, A.V.

Corrosion of copper-nickel alloys in sea water. Izv. vys. uchet. zav.; tsvet. met. 4 no.4:145-148 '61. (MIRA 14:8)

1. Krasnoyarskiy institut tsvetnykh metallov, kafedra korrozii i elektrokhimii.  
(Copper-nickel alloys--Corrosion)

TURKOVSKAYA, A.V.; SE UY-YU

Corrosion of copper-nickel alloys in hydrochloric acid solutions.  
Izv. vys. ucheb. zav.; tsvet. met. 4 no.5:174-178 '61. (MIRA 14:10)

1. Krasnoyarskiy institut tsvetnykh metallov, kafedra korrozii  
i elektrokhimii.

(Copper-nickel alloys—Corrosion)

(Hydrochloric acid)

S/149/61/000/005/006/008  
A006/A101

AUTHORS: Turkovskaya, A. V., Hsieh Wui-yu  
TITLE: Corrosion of copper-nickel alloys in hydrochloric acid solutions  
PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy, Tsvetnaya metallurgiya, no.5,  
1961, 174-178

TEXT: The authors studied the corrosion and electrochemical behavior of Cu-Ni alloys in 1; 4.5 and 8% hydrochloric acid at 20, 60 and 80°C. in closed glass containers with reverse coolers. Experiments at 60 and 80°C. in closed in a glycerin filled thermostat. The dependence of the corrosion rate on the duration of the test, nickel content. A sharp increase in the corrosion rate was investigated. A sharp increase in the corrosion rate on the investigated alloys was observed at 20 - 25% Ni content. The appearance of the investigated stability limit is caused by the formation of phase films on the alloy surfaces, which possess protective properties. Cu-Ni alloys containing over 25% Ni can be employed in diluted hydrochloric acid solutions, at temperatures below 60°C.

Card 1/2

Corrosion of copper-nickel alloys ...

S/149/61/000/005/006/008  
A006/A101

There are 5 figures and 5 Soviet-bloc references.

ASSOCIATIONS: Krasnoyarskiy institut tsvetnykh metallov (Krasnoyarsk Institute of Nonferrous Metals); Kafedra korrozii i elektrokhimii (Department of Corrosion and Electrochemistry)

SUBMITTED: January 23, 1961

Card 2/2

81546  
SOV/137-59-5-11504

5.1140 (B)  
Translation from: Referativnyy zhurnal, Metallurgiya, 1959, Nr 5, p 269  
(USSR)

AUTHORS: Turkovskaya, A.V., Persiantseva, V.P.

TITLE: The Effect of Some Factors on the Atmospheric Corrosion Rate  
of Magnesium and Its Alloy 16 27

PERIODICAL: Sb. nauchn. tr. Nauchno-tekhn. o-vo tsvetn. metallurgii, Mosk.  
in-t tsvetn. met. i zolota, 1958, Nr 29, pp 172 - 178

ABSTRACT: The authors investigated the effect of relative humidity,  $SO_2$ ,  
 $CO_2$ ,  $SO_2 + CO_2$  and carbon dust on atmospheric corrosion of Mg,  
passivated Mg, its alloy (with 6.5% Al, 0.3% Mn, 1% Zn) and  
passivated alloy. Corrosion was determined by the gravimetric  
method and by changes in the appearance of specimens with a  
45-power magnification. It was established that for the given  
alloy the critical humidity was at 90 - 95% of the relative

Card 1/2

81546

SOV/137-59-5-11504

The Effect of Some Factors on the Atmospheric Corrosion Rate of Magnesium and Its Alloy

humidity. The corrosion rate of Mg and Mg alloy increases if the atmosphere contains  $\text{SO}_2$ ,  $\text{CO}_2$  and their mixtures. Carbon dust raises the ccorrosion rate in an atmosphere containing  $\text{SO}_2$  and does not affect the corrosion rate in an atmosphere containing  $\text{CO}_2$ . ✓

V.P.

Card 2/2

5.1140(B)  
18.8300

69716

sov/81-59-9-31685

Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 9, p 308 (USSR)

AUTHORS: Turkovskaya, A.V., Persiantseva, V.P.TITLE: The Effect of Some Factors on the Rate of Atmospheric Corrosion of Magnesium and Its AlloysPERIODICAL: Sb. nauchn. tr. Nauchno-tekhn. o-vo tsvetn. metallurgii, Mosk. in-t tsvetn. met. i zolota, 1958, Nr 29, pp 172 - 178ABSTRACT: The author studied the effect of moisture,  $\text{CO}_2$ ,  $\text{SO}_2$  and the presence of solid dust particles on the rate of atmospheric corrosion (RAC) of Mg and the Mg-alloy of the composition (in %): Al 6.5, Mn 0.3, Zn 1, which has been passivated in an acidic bichromatic bath containing  $\text{NH}_4\text{Cl}$ . The study has shown that RAC of these materials increases sharply at an increase in the relative humidity to 90 - 95%. An intensification of RAC of Mg was noted in an atmosphere polluted by  $\text{CO}_2$  and  $\text{SO}_2$ , in which case the joint presence of both gases leads to higher corrosion losses than in an atmosphere containing these gases separately. Particles of coal dust promote the corrosion in  $\text{SO}_2$  and almost do not affect the corrosion rate in an atmosphere polluted by  $\text{CO}_2$ . A. Shatalov

Card 1/1

TURKOVSKAYA, M-V.

18(0); 25(1) PHASE I BOOK EXPLOITATION SOV/3076

Bakhvalov, Grigoriy Tikhonovich, and Anna Vasil'yevna Turkovskaya

Korroziya i zashchita metallov (Corrosion and Protection of Metals)  
2d ed., rev. and enl. Moscow, Metallurgizdat, 1959. 310 p.  
Errata slip inserted. 11,200 copies printed.

Reviewers: P.I. Turekhov, Candidate of Technical Sciences; I.Ya.  
Klinov, Doctor of Technical Sciences, Professor; and Ye.M. Zarets-  
kiy, Docent; Ed.: A.N. Chernov; Ed. of Publishing House:  
O.M. Kamayeva; Tech. Ed.: Ye.B. Vaynshteyn.

PURPOSE: This textbook is intended for students of schools of  
higher technical education who are not specializing in the  
study of the corrosion and protection of metals. It may also  
be useful to technical personnel.

COVERAGE: The book deals with processes of metal corrosion in  
different media and methods of protecting metals from corrosion.  
The results of scientific research and industrial developments

Card 1/8

Corrosion and Protection (Cont.)

SOV/3076

in the field of anticorrosion protection are discussed. The automation of electroplating processes and other processes of decorative and protective treatment is described. Illustrative drawings and diagrams are presented. No personalities are mentioned. There are 61 references, all Soviet.

TABLE OF CONTENTS:

Preface	7
Introduction	8
PART ONE. CORROSION OF METALS	
Ch. I. Classification of Corrosion. Protective Films on Metals	9
1. Classification of corrosion and the characteristics of the rate of corrosion	9
2. Thickness of protective films	12
3. Properties of protective films	14

Card 2/8

## Corrosion and Protection (Cont.)

SOV/3076

4. Growth of protective films	14
5. Conditions for the heat-resistant composition of coatings	17
Ch. II. Chemical Corrosion	
6. Gas corrosion of iron and steel	19
7. Corrosion of nonferrous metals and alloys at high temperatures	19
8. Protection against gas corrosion	23
9. Corrosion in nonelectrolytic fluids	25
Ch. III. Corrosion in Electrolytes	26
10. Electrode potential of metals	27
11. Effect of galvanic corrosion	28
12. Polarization of a galvanic cell	31
13. Rate of corrosion in electrolytes	36
14. Multi-electrode galvanic cells	42
15. Effect of primary factors on the rate of corrosion	46
16. Effect of environment on the rate of corrosion	51
Ch. IV. Corrosion in a Simultaneous Mechanical Action	53
Card 3/8	59

Corrosion and Protection (Cont.)

SOV/3076

17. Corrosion cracking, fatigue, and wear	59
Ch. V. Corrosion Under Various Conditions	62
18. Atmospheric corrosion	62
19. Soil corrosion	64
20. Corrosion from stray currents	64
Ch. VI. Corrosion Resistance of Metals	66
21. Iron	66
22. Nickel	73
23. Cobalt	75
24. Copper	76
25. Lead	81
26. Tin	84
27. Zinc	85
28. Cadmium	87
29. Aluminum	88
30. Magnesium	93
31. Precious metals and other metals	94

Card 4/8

## Corrosion and Protection (Cont.)

SOV/3076

## Ch. VII. Corrosion Testing

32. Methods of corrosion testing	97
33. Means of expressing corrosion intensity	97
	101

## PART TWO. PROTECTION AGAINST CORROSION

## Ch. VIII. Methods of Protecting Metals Against Corrosion

34. Treatment of the surrounding medium	109
35. Electrochemical protection	109
36. Protective coatings	112
	113

## Ch. IX. Purposes and Methods of Treating Metal Surfaces

37. Mechanical treatment	116
38. Chemical and electrochemical cleaning of metal surfaces	116
39. Use of ultrasonics for cleaning surfaces	123
40. Electrolytic and chemical polishing of metals	137
	142

## Ch. X. Nonelectrolyte Methods of Metallic Coating

41. Hot dipping in metals	146
42. Metal plating by the diffusion process	146
	153

Card 5/8

## Corrosion and Protection (Cont.)

SOV/3076

43. Metallizing	161
44. Cladding	164
Ch. XI. Electroplating of Metals	
45. General information	166
46. Galvanizing	166
47. Cadmium plating	175
48. Tinning and lead plating	183
49. Copper plating	185
50. Nickel plating	190
51. Electrolytic chromium plating	195
52. Electrolytic plating with precious metals	198
53. Contact plating (galvanic coating)	203
54. Plating with alloys	207
	208
Ch. XII. Oxide Coating, Phosphate Coating, and Chemical and Electrochemical Coloring of Metals	
55. Oxide coating of steel	214
56. Oxide coating of aluminum and aluminum alloys	215
	217

Card 6/8

Corrosion and Protection (Cont.)	SOV/3076
57. Oxide coating of magnesium alloys	221
58. Phosphate coating	223
59. Chemical and electrochemical coloring of articles made of nonferrous metals	227
Ch. XIII. Quality Control of Coatings in the Shop	229
60. Determination of the thickness of coatings	229
61. Determination of porosity and other properties of coat- ings	233
Ch. XIV. Basic Equipment for Electroplating and Chemical-treat- ment Departments	
62. Stationary tanks	236
63. Equipment for coating small articles	236
64. Automatic and semiautomatic machines for coating	242
65. Electrical equipment	249
66. Auxiliary equipment	260
267	
Ch. XV. Automation of Electroplating Processes	275

Card 7/8

## Corrosion and Protection (Cont.)

SOV/3076

67. Reversion of direct current	275
68. Regulation of current density. Significance of the pH value and the temperature of the electrolyte	279
69. Checking coating thickness during electroplating	282
70. Regulation of the level of the electrolyte in the tank	286
Ch. XVI. Enameling and Metal Coating With Organic Materials	
71. Enameling	288
72. Paint and lacquer coatings	288
73. Coating with phenolaldehyde resins and other materials	291
74. Rubber coating	299
	300
Ch. XVII. Protection of Metal Articles in Storage, Transport, and Tropical Climates	
75. Washing. Oiling	303
76. Protection of metal under tropical conditions	303
	305
Bibliography	308

AVAILABLE: Library of Congress

Card 8/8

VK/jb  
2-15-60

TURKOVSKAYA, N.A.

AKIMOVA, K.I.; BAZHENOV, M.F.; BAKHVALOV, G.T.; BEZKLIBENKO, N.P.; BERMAN, S.I.;  
BOGDANOV, Ye.S.; BODYAKO, M.N.; BOYKO, B.B.; VINOGRADOV, S.V.;  
GAGEN-TORN, K.V.; GLEK, T.P.; GOREV, K.V.; GRADUSOV, P.I.; GUSHCHINA, T.N.;  
YEMEL'YANOV, A.K.; YESIKOV, M.P.; ZDZYARSKIY, A.V.; ZAKHAROV, M.V.;  
ZAKHAROVA, M.I.; KARCHEVSKIY, V.A.; KOMAROV, A.M.; KORZHENKO, O.T.;  
LAYNER, V.I.; MAL'TSEV, M.V.; MILLER, L.Ye.; MILOVANOV, A.I.;  
MIRONOV, S.S.; NIKONOROVA, N.A.; OL'KHOV, N.P.; OSIPOVA, T.V.;  
OSOKIN, N.Ye.; PERLIN, I.L.; PLAKSIN, I.N.; PROKOF'YEV, A.D.;  
RUMYANTSEV, M.V.; SEVERDENKO, V.P.; SEREDIN, P.I.; SMIRYAGIN, A.P.;  
SPASSKIY, A.G.; TITOV, P.S.; TURKOVSKAYA, A.V.; SHAKHNAZAROV, A.K.;  
SHPICHINETSKIY, Ye.S.; YURKSHTOVICH, N.A.; YUSHKOV, A.V.;  
YANUSHEVICH, L.V.

Sergei Ivanovich Gubkin. TSvet.met. 28 no.6:60-61 N-D '55. (MIRA 10:11)  
(Gubkin, Sergei Ivanovich, 1898-1955)

BAKIVAILOV, G. T., and A. V. TURKOVSKAYA.

Rukovodstvo k laboratornym rabotam po korrozii i gal'vanostegii.  
Moskva, Gos. nauch. - tekhn. izd-vo lit-ry po chernoi i tsvetnoi  
metallurgii, 1952. 239 p., tabes, diagrs.

Bibliography: p. 225.

Title tr.: Guide to laboratory works on corrosion and galvanostegy.

TA 462. R 3

SO: Aeronautical Sciences and Aviation in the Soviet Union, Library of  
Congress, 1955.

*Turkovskaya*  
NESSONOVА, G.D.; TURKOVSKAYA, D.V.; MOSOLOVA, E.D.

Determining the silicon content of textile materials. *Tekst. prom.*  
18 no.1:55 Ja '58. (MIRA 11:2)  
(Textile chemistry)

Turkovskaya, D.V.

NESSONOVA, G.D.; TURKOVSKAYA, D.V.

Methods for quantitative determination aof the chloride-ion. Zav.  
lab.23 no.2:159-161 '57. (MLRA 10:3)

1. Moskovskiy tekstil'nyy institut.  
(Chlorides—Analysis) (Titration)

NESSONOVA, G.D.; TURKOVSKAYA, D.V.

Gravity method of determining silicon in textile materials.  
Izv. vys. ucheb. zav.; tekhn. prem. no.5:109-113 '58.  
(MIRA 11:12)

1. Meskovskiy tekstil'nyy institut.  
(Textile fabrics--Testing)  
(Chemistry, Analytical--Quantitative)  
(Silicen)

TURKOVSKAYA, D. V.

[2].  
Балынова, Н.Д., Кручинов, Д.И., Смирнова, Е.Г., Тимофеев, В.П.,  
Орестова, В.Л., Николаева, Н.А., Зеленцев, М.Ю., Масонова,  
Г.Д., Чубаровская, Д.В., Болтунова, Н.И.

卷之三

**PERIODICAL:** Zvezdskaya Laboratoriya, 1959, Vol. 29, No. 2, p. 1003  
**ABSTRACT:** M. D. Ruz'shov, Ural'skiy politekhnicheskii in-tstitut (Yekaterinburg) recommends a polarographic method for the determination of acridine in the analysis of a mixture of anthracene and acridine. The method is based upon a radiation-induced polymerization of acridine in the presence of an anthracene resin. The method is recommended for the analysis of coal tar.

between the concentration of acids and the height of the polarimeter-wave, the half-wave potential of which lies at 0.79 V. The analysis was carried out on a polarograph of the construction with a self-polarizer galvanometer M-2. The relative maximum error was  $\pm 0.5\%$ , and an analysis time of  $10-15$  minutes. It is given with  $5\%$  accuracy and  $1\%$  precision.

I. Krupko, Ye. T. Sarancha, and V. P. Ivchenko, *Radiochimica Khimika* (Central Works Laboratory of the Institute of Khimokhimiia) describe a method for the radioisotope determination of potassium (Ref. 1) in a catalyst for the isobutanol synthesis. The investigations were carried out in a B-2 apparatus with a carrier solution  $AB_2$ .

卷之三

Mr. M. N. Mitkov, Institute of High Molecular Weight Compounds, Academy of Sciences, USSR suggested a rapid method for the determination of sulphur in cation-exchange resins. It consists in the zinc pulviret method, and the sample is burned in oxygen beside a platinum catalyst, and the sulphur is captured in a neutral hydrogen porous glass substitution products and sulphuric acid is titrated in the latter solution. The result is given with a 0.01 N Ba(OH)<sub>2</sub> solution.

Ye. Ya. Zaitsev, Institute of the Electrical and Electronic Research Institute of the Ministry of the Machine Building Industry, describes a volumetric titrimetric method for the determination of nickel in alloys which are used for the production of permanent magnets on the basis of Fe-Si-Al-Co-C. It is separated from the accompanying elements by a 1% ammonia solution and transferred into the triethyl glycol form and then titrated with titrion X.

G. D. Neesmann, D. V. Lur'e, and N. N. Tikhonov (Institute of Textile Technology) carried out four gravimetric methods of silicon in certain alkaline and silicic organic acids and found that the most exact results are obtained with the silicic acid method.

C-14 3/3

Cart 5/3

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

LESSONOVA, G.D.; TURKOVSKAYA, D.V.

Iodometric determination of oxidizing agents. Zav.lab.21 no.11:  
1302-1304 '55. (MIRA 9:2)

1. Moskovskiy tekstil'nyy institut.  
(Oxidizing agents) (Iodometry)

TURKOVSKAYA, S. M.

TURKEVAKAYA, S. M.

"Effect of Chronic Illness on the Physical Development of  
School Children"

Report presented at the Natl. Conf. on School Hygiene, Warsaw,  
25-26 Apr 60

1.2645-66 EWT(d)/EWP(v)/EWP(k)/EWP(h)/EWP(l) IJP(c) GG/BB  
ACCESSION NR: AP5025743

UR/0286/65/000/018/0091/0092  
681.142-523.8

56  
54

AUTHOR: Vedeshnikov, V. A.; Volkov, A. F.; Zenkin, V. D.; Trapeznikov, V. A.; Turkovskaya, T. A.

44  
B

TITLE: A digital computer with programmed circuit control. Class 42, No. 174844

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 18, 1965, 91-92

TOPIC TAGS: digital computer, automatic computer programming, self adaptive control

ABSTRACT: This Author Certificate introduces a digital computer with programmed circuit monitoring. The unit contains a control counter, instruction memory, instruction readout amplifier, instruction register, operation decoder, central control unit, control pulse amplifiers, arithmetic unit, working storage, and an input-output device. The installation is designed for automatically and accurately finding elements that fail. The computer contains a microoperation zone decoder and a pilot signal shaper which are connected together and to the readout amplifiers for the instruction memory. The outputs from the pilot signal shaper are connected to the central control unit, the local control unit, and the control signal amplifier.

Card 1/3

L 2645-66

ACCESSION NR: AP5025743

O

unit. The computer also contains a microcontrol unit which is connected to the central control unit and to the control signal amplifiers, and a device for recording the point of failure, which is connected to the instruction memory readout amplifiers. A modification of this computer is designed for transition from macrooperation to microoperation conditions to improve the resolution of diagnostic tests. The microcontrol unit in this computer contains the first gate for interpretation of operating conditions. The inputs to this gate are connected respectively to the unit for sampling commands from the instruction memory and to the flip-flop for storage of operating conditions. The output from this flip-flop is connected to a delay circuit through gates which are connected to the outputs from the microoperation zone decoders which correspond to microoperations for setting the flip-flops of the computer. The delay circuit is connected through a gating assembly to the outputs from the control signal amplifiers. The output from the delay circuit is connected to the input of the instruction sampler. The second gate for interpretation of operating instructions is connected to the input of the delay circuit. The inputs to this gate are connected respectively to the instruction sampler and to the inverse output from the flip-flop for storage of operating conditions through the gate for transition from macrocontrol to microcontrol conditions. The output from the delay circuit is connected in parallel with the output from the first gate for

Card 2/3.

L 2645-66

ACCESSION NR: AP5025743

2

interpretation of operating conditions. In a second modification of this computer, the number of points which can be monitored is increased by using an input register in the microoperation zone decoder. This register is connected to the decoder, and the outputs from the decoder are connected to the control points. In a third modification of this computer, indication of a point of failure is simplified by using an input register in the failure indicator with binary-digital code for the number of input register in the failure indicator with binary-digital code for the number of non-operative element. This register is connected to decimal indicators through a decoder which converts the register code into decimal positional notation. A fourth modification of this computer is designed for automatically and accurately indicating points of failure. The pilot signal shaper in this computer contains gates with inputs connected respectively to the microoperation zone decoder and to the readout amplifiers for the instruction memory. The outputs from these gates are [1h] connected to the elements to be monitored.

ASSOCIATION: Institut avtomatiki i telemekhaniki (Institute of Automation and Tele-mechanics)

SUBMITTED: 27Jun64

ENCL: 00

SUB CODE: DP

NO REF SOV: 000

OTHER: 000

ATD PRESS: 4124

Card 3/3 AP

KOTOV, I.F., elektromekhanik po remontu ~~stutnykh~~ vypryamiteley;  
TURKOVSKIY, I.A., elektromonter

Improvement of a mercury rectifier firing system. Elek. i tepl.  
tiaga 7 no.6:16-17 Je '63. (MIRA 16:9)

1. Irkutskiy uchastok energosnabzheniya.  
(Electric railroads--Substations) (Mercury-arc rectifiers)

KOTKOV, M.; TURKOVSKIY, V.

State Bank tasks in the control of expenditures from wage  
funds. Den. i kred. 17 no.3:34-41 Mr '59. (MIRA 12:4)  
(Wages) (Banks and banking)

TURKOVSKIY, V.

TURKOVSKIY, V.

Methods for analyzing reasons for overdrawing wage funds in  
industry. Den.1 kred.15 no.11:38-49 N '57. (MIBA 10:12)  
(Wages) (Banks and banking)

ARASLANOV, K., ekonomist; TURKOVSKIY, V.; KHARITONOV, I.

We are discussing the problems of control over wage fund  
disbursement. Den.1 kred. 21 no.2:34-50 F '63. (MIRA 16:2)

1. Kirovskaya kontora Gosbanka (for Araslanov). 2. Starshiy  
kreditnyy inspektor Poltavskoy kontory Gosbanka (for Kharitonov).  
(Banks and banking) (Wages)

YEVSEYEV, P.; TURKOVSKIY, V.

Increase the efficiency of control. Den. i kred. 20 no. 8:64-69  
(MIRA 15:9)  
Ag '62.  
(Wages) (Banks and banking)

TURKOVSKIY, V.A.

Theorem of the theory of univalent functions. Izv.vys.ucheb.  
zav.; mat. no.6:189-191 '59. (MIRA 13:3)

1. Kiyevskiy politekhnicheskiy institut.  
(Functions of complex variables)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

TURKOVSKIY, V.A., dots., otv. za vypusk; BAZILYANSKAYA, I.L., red.; KOVALEVA, Z.G., red.; TROFIMENKO, A.S., tekhn. red.

[Higher mathematics] Vysshiaia matematika. Khar'kov, Izd-vo Khar'kovskogo univ. No.2. [Methodological instructions and tasks withing the course] Metodicheskie ukazaniia i zadaniia po kursu; dlia studentov obshchetekhnicheskikh fakul'tetov vysshikh uchebnykh zavedenii. Izd.2., perer. 1963. 146 p.

(MIRA 17:2)

1. Ukraine. Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya. Upravleniye vysshikh uchebnykh zavedeniy.

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

~~TURKOVSKIX, V. A.~~

Brachystochrone in a field on constant force. Ukr. mat. zhur.  
10 no.3:336-339 '58. (MIRA 11:11)  
(Calculus of variations)

DZIUNIKOWSKI, Bodhan; FLORKOWSKI, Tadeusz; JURKIEWICZ, Leopold; TURKOWA,  
Boguslawa

Determination of lead content in ore samples by means of the  
method of absorption of  $\gamma$  or X rays. Nukleonika 7 no.9:561-572 '62.

1. Academy of Mining and Metallurgy, Institute of Nuclear  
Techniques, Krakow, and Academy of Mining and Metallurgy, Department  
of Physics II, Krakow.

PYTLOWA, Irena; TURKOWA, Henryk

Value of Waldman's cup test of capillary resistance tests in skin diseases. Przegl. derm. 48 no.8/10:451-458 '61.

l. Z Kliniki Dermatologicznej P.A.M. w Szczecinie Kierownik: Prof.

H. Prochacki.

(DERMATOLOGY)

(CAPILLARIES physiol)

TURKOWSKA, D.

"Gabriel Rzeczyński and his description of Poland's mineral resources." p. 112  
(WIADOMOSCI MUZEUM ZIEMI, Vol. 6, no. 1, 1952, Warszawa, Poland.)

SO: Monthly List of East European Accessions, Vol. 2, #8, Library of Congress,  
August, 1953, Uncl.

TURKOŃSKI, T.

Majewska, D. Research on carnation after the mostatic transition. p. 17.  
PRZEWYSI SPÓŁKOWY, Warszawa, Vol. 1, no. 1, Jan. 1955.

SO: Monthly List of East European Accessions, (EML), 10, Vol. 4, no. 10, Oct. 1955,  
Uncl.

TURKOVSKIY, V. A.

TURKOVSKIY, V. A. — "Certain Extreme Problems in the Geometry of Plane Curves." Min Higher Education USSR. Kiev Order of Lenin Polytechnic inst. Kiev, 1956 (Dissertation for the Degree of Doctor in Physicomathematical Sciences).

SO: Knizhnaya Letopis', No 9, 1956

TURKOVSKIY, V. A.

"On the Theory of Equilibrium of a Ponderable Flexible Filament,"  
Izv. Kievsk, politekhn, in-ta, Vol 12, 1953, pp 96-110

The author discusses equilibrium of tensile and nontensile flexible filaments in a gravitational field for the case of symmetry with respect to the vertical. He considers the case of a force directed along the filament, as well as the inverse problem. In the case of the nontensile filament, the equation of the evolute and an expression for the curvature are derived.

RZhMekh, No 2, 1954

PIERONKI, T.

"Classification and Selection of Bacon", p. 3, (KOMISJA Naukowa, Vol. 7, No. 1, Jan. 1955, Warsaw, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4, No. 5, May 1955, Uncl.

TURKOWSKA, /

3832

604.933.5 : 614.31 : 543.83

AG

Majewska D., Turkowski T. Examination of Tinned Hams after a Thermostat Test.

„Badanie szynek w puszkach pozostalych po próbie termostatowej”.  
Przemysl Spozywczy, No. 1, 1955, pp. 17—10, 3 tabs.

The fact is already established that sterilised preserves are not adversely affected by a thermostat test. In order to determine whether the same is true also of tinned ham, investigations were conducted in the Central Standardisation Inspectorate Laboratory. It was established that bacteriological examinations reveal no marked differences as between samples of tinned ham which have been thermostatised and those not thermostatised. In only three instances was a greater over-all number of bacteria revealed in thermostatised preserves. In the remaining (33) samples of thermostatised and non-thermostatised preserves the number of bacteria was 100 — 200 per 1 g.

(1)

TURKOWSKI, TADEUSZ

Poland/Chemical Technology. Chemical Products and Their Application -- Food industry, I-28

Abst Journal: Referat Zhur - Khimiya, No 2, 1957, 6711

Author: Turkowski, Tadeusz

Institution: None

Title: Classification and Sorting of Bacon

Original

Publication: Gospod. miesna, 1955, 7, No 1, 3-6

Abstract: The principal systems of bacon classification -- three Danish, Dutch, Canadian and British, are considered, and it is pointed out that they are most complex and contradictory, which renders difficult the grading of bacon.

Card 1/1

POL.

3084 Turkowski Z. High-Speed Rotary Drilling Method in the Polish Petroleum Industry.

„Szybkościowa metoda wiercenia obrótkowego w polskim przemyśle naftowym”, Przegląd Techniczny, No. 3, 1954, pp. 100-101.

Description of experiments carried out with a view to standardizing rotary drilling methods. The best results were obtained by adopting the method called forced drilling. It was found possible by this method to obtain a threefold increase in mechanical progress with a simultaneous threefold decrease in the wear of boring tools. All fears of breakdowns hitherto entertained as regards forced drilling have proved to be unfounded. Conditions essential for forced drilling operations have been determined experimentally and put into practice in a number of wells.

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

TURKOWSKI, Z.

Research on the system of rotary drilling in the petroleum industry in  
Poland. P. 177  
NAFTA. (Instytut Naftowy) Krakow.  
Vol. 10 no. 8, Aug. 1954

SOURCE: EEAL LC Vol. 5, no. 7, July 1956

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

TURKOWSKI, Z.

✓ 1268. First results of application of the correct rotary drilling regime. Z. Turkowski, Bull. Polish Inst. Petrol., 1955, 5, 1-2 (suppl. to Nafta (Krakow), 1955, 11).—The author supervised and directed operations in 2 exploratory drillings between June and Dec 1953. Higher progress speeds are recorded with less wear on the bit. 5 bits gave 1650 m drilling without failures. Compared with generally encountered drilling, progress was more than doubled.

M. S.

TURKOWSKI, Z.

2

3414 622.243.5.002.4  
Turkowski, Z. Survey of Rotary Drilling Routine in the Polish Petroleum Industry.

Badania rezlmu wiertzenia obrotowego w polskim przemyśle naftowym. Nafta, No. 8, 1954, pp. 177-182, 10 figs., 1 tab.

POL. 3  
Routine experiments were carried out including investigation of the influence of curtailment of individual drilling conditions upon drilling progress. Investigations applied to the pressure exerted, in strata of varying hardness, upon the drilling bit, as well as to the ratio of the number of revolutions to pressure, and the drilling technique adopted for strata of varying hardness and drillability. The results of these experiments are expressed in graphic form, and an accompanying table contains recommendations as to drilling conditions when using milling type boring bits of various gauges and for various geological strata.

JCH

W. POINT, S.

"First Results of the Analysis of the Soviet Technical "Intelligence Briefing",  
Sovietam. p. 1, (WIFI, Vol. 18, No. 2, Feb. 1955, Krem v, Found)

20: Monthly List of East Bureau Accesions, (WIFI), 16, Vol. 1, No. 5,  
May 1955, Knel.

TURKOWSKI, Z.

"Problem of the progress of well boring according to present research of the Petroleum Institute." Biuletyn. p. 7. (NAFTA, Vol. 9, no. 7/8, Jul/Aug 53, Krakow)

SO: Monthly List of East European Accessions, Vol 3 No 6 Library of Congress Jun 54 Uncl

*Merry*

*P.T.A.*

465 331-57 : 622-32  
Turkowski, Z. Dynamics in Band-Wheel Pumping Power Systems,  
"Zagadnienia dynamiki układu kieratowego", Nauka No. 8, 1950.

pp. 225-229, 1 fig., 8 tabs.

Analysis of the work of band-wheel pumping power units and, in particular, of the distribution of forces in the individual elements. Theoretical consideration of calculations, with simple formulae for computation of the forces occurring, and practical consideration of measurements, recommendations are made as to the method of measuring forces occurring in the system. The control of the system consists in comparison of the values obtained with those calculated, together with analysis of the operation of the complete unit. Irrigation in the system and correct solutions in view of the fact that the technical hypotheses and computations agree with the data obtained in the measuring process, the theoretical computations can be used as the basis for designing band-wheel pumping equipment, whereas the operation of existing systems may be checked by means of dynamometric measurement.

24

6322

On a Theorem of the Theory of Schlicht Functions SOV/140-59-6-23/29

The present paper is in direct connection with the author's  
[Ref 1] publication on functions being schlicht with a  
schlicht derivative.

There are 4 Soviet references.

ASSOCIATION: Kiyevskiy politekhnicheskiy institut (Kiyev Polytechnical  
Institute)

SUBMITTED: June 24, 1958

Card 2/2

AUTHOR: Turkovskiy, V.A. SOV/41-10-3-11/14

TITLE: On the Brachystochrone in the Field of a Constant Force  
(O brakhistokhrone v pole postoyannoy sily)

PERIODICAL: Ukrainskiy matematicheskiy zhurnal, 1958, Vol 10, Nr 3,  
pp 336 - 339 (USSR)

ABSTRACT: The author explicitly solves the following problem: A heavy material point moves in the vertical plane along a curve from the point A to the point B. The friction on the curve is proportional to the normal pressure and the resistance of the medium is a given function of the velocity. The initial velocity in A is given. That curve is to be determined on which the point comes from A to B in the shortest time under the given assumptions.

There are 1 figure and 6 references, 4 of which are Soviet, 1 is French, and 1 Swiss.

SUBMITTED: October 25, 1957 (Kiyev)

Card 1/1

USSR/Cultivated Plants - Commercial. Oil-Bearing. Sugar-Bearing. M-5

Abs Jour : Ref Zhur - Biol., No 7, 1958, 29892

Author : Minko, D., Kanash, M., Turks, L.

Inst : -

Title : Ways of Improving the Quality of the Fiber of Soviet  
Cotton Varieties.

Orig Pub : Khlopkovodstvo, 1957, No 10, 33-37.

Abstract : No abstract.

Card 1/1

- 15 -

TURKS, V.A., inzh. (Tashkent)

Damning the Amu Darya channel at the head of the Tashsaka Canal,  
Gidr. i mel. 16 no. 6:58-60 Je '64. (MIFA 17:9)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

TURKS, V.A., inzh.

Mechanized cleaning of the head section of irrigation canals. Gidr.  
1 mel. 10 no. 2: 14-49 P '58. (MIRA 11:3)  
(Irrigation canals and flumes)

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

Turks, V. A.

99-58-2-6/9

AUTHOR: Turks, V.A., Engineer

TITLE: A Method of Mechanized Dredging the Head Section of Irrigation Canal (Sposob mekhanizirovannoy ochistki golovnogo uchastka orositel'nogo kanala). From the Experimental Work on the Tashsakinsky Canal in South Khorezm (Iz opyta raboty na Tashsakinskem kanale v Yuzhnom Khorezme)

PERIODICAL: Gidrotekhnika i Melioratsiya, 1958, # 2, pp 44-49 (USSR)

ABSTRACT: Mechanized dredging of irrigation canals is an ever increasing task. More than 5 million cu.m of silt were taken yearly from the main canals of South Khorezm which are fed from the Amu-Darya river - and this represents but 1/3 of the total sediments. Though many types of dredges are being constructed - the author is of the opinion that dredging methods must be modified. He describes his proposed method in this article.

There are 2 tables and 1 figure.

AVAILABLE: Library of Congress

Card 1/1

TURKS, V.A.

Hydraulics

Graphic-analytic method of calculating the regulating action of a water reservoir.  
Gidr. i. mel., no. 1, 1952.

9. Monthly List of Russian Accessions, Library of Congress, MARCH 1952 ~~1953~~ Uncl.

TURKS, V.A., inzhener.

Results of the use of current-regulating systems on the Amu Darya River.  
Gidr.i mel. 5 no.4: 68-73 Ap '53.  
(MLRA 6:5)  
(Amu Dar'ya)

191T69

TURKS, V. A.

Oct 51

USSR/Hydrology - River

"Increasing the Head Water Intake by Conducting Regulating Operations in River Beds," Kh. Sh. Shapiro, Cand Tech Sci, V. A. Turks, Engr

"Gidrotekh i Meliorat" Vol III, No 10, pp 47-53

Describes expts in river regulation, by proper directing of streams, for the purpose of increasing water intake in the Tash-Sakinskiy canal to secure irrigation during periods of drought.

191T69

TURKS, V. A.

USSR/Engineering - Hydraulics

Jan 52

"Graphoanalytical Method for Calculating the  
Regulation Effect of a Reservoir," V. A. Turks,  
Engr

"Gidrotekn i Melio" No 1, pp 77-79

Suggests method for soln of basic eq of flow  
continuity by estimation. Precision of soln  
depends only on hydrological and topographical  
data. Procedure for plotting combined graph  
of 2 relationships in rectangular system of  
coordinates is less complicated than ordinary

202T64

USSR/Engineering - Hydraulics  
(Contd)

Jan 52

methods. Gives table of estimated values for  
individual case as illustrating example.

202T64

TURKULETS, H. I.

## 9(4) PAGE 1 BOOK EXPOSITION

509/2773

*Poligonodiodnye termosensornye diorriti stavy (Thermistors: Collection of Articles)* Moscow, Gostorgizdat, 1959. 259 p. 15,000 copies printed.

Ed. (Title page): B. S. Sotnikov, Doctor of Technical Sciences, Professor; M. B. Sotnikov, Doctor of Technical Sciences, Professor; Ed. B. S. Sotnikov, Doctor of Technical Sciences, Professor (Chief Ed.); N. P. Sosulin, Candidate of Technical Sciences, N. S. Zaytsev, Engineer; V. I. Turmala, Engineer.

NOTES: This collection of articles is intended for engineering and technical personnel of plants, GES, KII and also instructors and students of universities. CONTENT: The book contains articles dealing with problems of measurement of thermistors and determining the parameters of measurement of thermistors also discusses problems of industrial parameters and characteristics. The author also discusses problems of industrial application of thermistors as control elements. The book is an effort of cooperation by scientists of a number of universities, members of KII and engineers of one of the plants (name is not given) of Moscowmachines. No personalities are mentioned. References appear at the end of some articles.

**151**  
Sokolov, M. A. Calculation of Parameters of Measuring Bridge Circuits with Thermistors

The author discusses a method of calculating bridge circuits with thermistors used in temperature measuring devices. There are no references.

**152**  
Sokolov, G. E. Some Advantages of Thermistor Heat Detector Cells in Circuits for Measuring Temperature

The author discusses the advantages of thermistor heat detector cells over wire resistance thermometers in devices for measuring temperature. He also describes a method of calculating parameters of a high-sensitivity measuring bridge. There are 6 references, all Soviet.

**153**  
Afanas'eva, L. A. Determination of a Coefficient of Thermal Inertia for Thermistors and Air Flow Rate Meter

The author discusses a method of determining the coefficient of thermal inertia for metal and PC types of thermistors under the condition of motion of the air. He also describes an air flow rate meter operating at various temperatures and densities. There are no references.

**154**  
Balakin, L. P., V. I. Turmala and M. A. Balashov. Low-Viscosity Thermometer Level Indicator

The author discusses an experimental device for controlling and measuring the level of liquids and loose substances. There are no references.

**155**  
Sokolov, G. E. The Authors for Superhigh Frequencies

The author discusses thermistors used in the meter for measuring superhigh-frequency power and describes methods of eliminating the error of measurement, or decreasing the amplitude of higher harmonics and calibration errors as well as methods of increasing electrical stability and the coefficient of heat transfer. There are 6 references, all Soviet.

**156**  
Balashov, M. A. Thermocouple Using Thin Type Thermistors

The author discusses circuits on automatic temperature regulators used in bread-making bakery and presents recommendations for regulator manufacture. There are no references.

**157**  
Sokolov, M. A. Use of Thermistors for Compensating The Thermocouple Error

The author discusses a method of compensating the error of temperature measurement due to temperature difference of thermocouple cables.

He also explains a method of calculating parameters of compensating circuits containing thermistors. There are 5 references, all Soviet.

TURKULETS, Vladimir Illarionovich; UDALOV, Nikolay Petrovich;  
TISHCHENKO, N.M., red.; FRIDKIN, L.M., tekhn. red.

[Photodiodes and phototriodes] Fotodiody i fototriody. Mo-  
skva, Gosenergoizdat, 1962. 62 p. (Biblioteka po avtomatike,  
no. 64) (MIRA 16:1)  
(Photoelectric cells) (Electron tubes)

85376

94300 (3203, 1043, 1143

S/081/60/000/017/012/016  
A006/A001

Translation from: Referativnyy zhurnal, Khimiya, 1960, No. 17, p. 350, # 70277

AUTHORS: Turkulets, V.I., Shleptsova, Z.V.TITLE: On the Effect of Chemical Impurities on the Properties of Semiconductor Thermoresistances 21

PERIODICAL: V sb.: Poluprovodnik. thermosoprotivleniya. Moscow-Leningrad, Gosenergoizdat, 1959, pp. 56-62

TEXT: The authors studied the effect of chemical impurities on the electrical properties of thermoresistances on titanium-magnesium specimens, where  $TiO_2$  was the basic semiconductor component. The following admixtures were used:  $V_2O_5$ ,  $Fe_2O_3$ ,  $Al_2O_3$ ,  $CuO$ ,  $MoO_3$ ,  $MnO_2$ ,  $SiO_2$ . They were introduced in various concentrations. The mass was mixed with an organic binder, passed through the metallic draw plate of a vertical press and the specimens obtained were simultaneously annealed under the same temperature conditions in hydrogen furnaces. The experiments showed that the specific resistance and temperature sensitivity varied within a wide range depending on the type of admixture and the concentration. The

Card 1/2

85376

S/081/60/000/017/012/016  
A006/A001

On the Effect of Chemical Impurities on the Properties of Semiconductor Thermoresistances

addition of metal oxides with a valence of the metallic ion  $> 4$ , causes a considerable drop in the magnitude of the specific resistance; metal oxides with a valence of  $< 4$  raise the magnitude of specific resistance.  $\checkmark$

G.G.


Translator's note: This is the full translation of the original Russian abstract.


Card 2/2


SOTSKOV, B.S., prof., doktor tekhn.nauk, glavnnyy red.; UDALOV, N.P.,  
kand.tekhn.nauk, red.; ZAYTSEV, N.S., inzh., red.; SKOGOREV,  
Ye.N., inzh., red.; TURKULETS, V.I., inzh., red.; PETROV, V.A.,  
red.; MATVEYEV, G.I., tekhn.red.

[Semiconductor thermistors; collected articles] Poluprovodnikovye  
termosoprotivleniya; sbornik statei. Moskva, Gos.energ.izd-vo,  
1959. 229 p. (MIRA 12:8)

(Thermistors)








TURKULEVICH, A.D., inzh.-konstruktor (Kiyev)

Physical exercise for all. Zdorov'e 5 no.5:21 My '59.  
(EXERCISE) (MIRA 12:11)



TURKUMAN, D.M.; TYSHKUL, F.P.

Work education on a school collective farm. Politekh. shuch.  
no. 6:33-37 Je '59. (MIRA 12:12)

1. Direktor sredney shkoly, selo Kerzhautsy, Lipkanskogo rayona  
Moldavskoy SSR (for Turkuman). 2. Predsedatel' kolkhoza, selo  
Kerzhautsy, Lipkanskogo rayona, Moldavskoy SSR (for Tyshkul).  
(Kerzhautsy--Student activities)  
(Agriculture--Study and teaching)

TURKUS, V., dotsent.

Useful manual ("Repair and operation of plumbing equipment in houses and public buildings" by L.D. Boguslavskii. Reviewed by V. Turkus). Zhil.-kom.khoz. 6 no.8:28 '56. (MLRA 10:2)

(Plumbing)

ANDREYEV, P.I.; TURKUS, V.A., kandidat tekhnicheskikh nauk, redaktor;  
SOKOLOVA, R.Ya., tekhnicheskiy redaktor

[Dissemination of waste industrial gases in the air] Rasseianie  
v vozdukhе gazov, vybrasyvaemykh promyshlennymi predpriatiiami.  
Moskva, Gos. izd-vo lit-ry po stroit. i arkhitekture, 1952. 84 p.  
[Microfilm] (MLRA 7:10)

(Gases) (Air--Pollution)

BATURIN, V.V.; EL'TERMAN, V.M.; TURKUS, V.A., redaktor.

[Ventilation of industrial buildings] Aeratsiia promyshlennyykh zdanii.  
[Nauch. redaktor V.A.Turkus] Moskva, Gos. izd-vo lit-ry po stroitel'stvu  
i arkhitekture, 1953. 259 p. (MLRA 6:10)  
(Factories--Heating and ventilation)

TURKUS, A.V.

KISSIN, M.I., kandidat tekhnicheskikh nauk, dotsent; D'YAKONOV, P.I.,  
kandidat tekhnicheskikh nauk, dotsent, retsenzent; UL'YANINSKIY,  
S.V., professor, retsenzent; TURKUS, A.V. dotsent, redaktor;  
DAKHNOV, V.S., tekhnicheskiy redaktor.

[Heating and ventilation] Otoplenie i ventiliatsiya. Pt. 1.  
[Heating] Otoplenie. Moskva, Gos. izd-vo stroit. lit-ry, 1947. 353 p.  
(Heating) (MLRA 8:2)

TURKUS, V. A.

POLYAKOV, D.L., inzhener, redaktor; BATORIN, V.V., kandidat tekhnicheskikh nauk, redaktor; BORISOV, V.P., inzhener, redaktor; GOVOROV, V.P., inzhener, redaktor; MATS, Ya.M., inzhener, redaktor; RYVKIN, Kh.I., kandidat tekhnicheskikh nauk, redaktor; TURKUS, V.A., dotsent, redaktor; KORSAKOV, S.S., retsenszent; UFIMTSEV, G.N., retsenszent.

[Manual for planning heating and ventilation systems of industrial enterprises] Spravochnik po proektirovaniu otopleniya i ventilatsii promyshlennnykh predpriatii. [Redkollegija D.L. Poljakov i dr. Redaktor V.A. Turkus] Moskva, Gos. izd-vo lit-ry po stroitel'stvu i arkitekture, (MIRA 7:6)  
1953-

1. Leningrad. Proyektnyy institut ministerstva stroitel'stva.  
(Heating--Handbooks, manuals, etc.) (Ventilation--Handbooks, manuals, etc.)

TURKUS, V.A., dotsent; BROMLEY, M.F., kandidat tekhnicheskikh nauk, nauchnyy  
redaktor; NEPOMNYASHCHAYA, T.F., redaktor; PERSON, M.S., tekhnicheskiy  
redaktor.

[Heat supply and ventilation] Teplosnabzhenie i ventiliatsiya.  
Moskva, Gos. izd-vo lit-ry po stroit. i arkhitekture, 1954. 242 p.  
(MLRA 7:11)  
[Microfilm]  
(Heating) (Air conditioning) (Ventilation)

TURKUS V.A.

PANCHENKO, A.V.; USHAKOV, K.A., doktor tekhnicheskikh nauk, professor, zasluzhennyy deyatel' nauki i tekhniki; retsenzent; TURKUS, V.A., dotsent, retsenzent; KHANZHONKOV, V.I., kandidat tekhnicheskikh nauk; retsenzent; VEREVKIN, N.I., kandidat tekhnicheskikh nauk, retsenzent; DIMANT, P.I., inzhener, retsenzent; GEL'MAN, D.Ya., redaktor; LABUS, G.A., tekhnicheskiy redaktor.

[Ventilator systems for elevators, mills, groats and mixed feed plants] Ventiliatsionnye ustavoksi elevatorov mel'nits, krupianykh i kombikormovykh zavodov. Izd. 2-e pererab. i dop. Moskva, Izd-vo tekhnicheskoi i ekonomicheskoi lit-ry po voprosam zagotovok, 1954. 371 p.

(MLRA 7:11)

1. Dotsent Odesskogo tekhnologicheskogo instituta imeni Stalina (for  
(Ventilation) Panchenko)

TURKUS, V.A.

"Technical methods for investigating and testing the effect of ventilation installations in industrial enterprises." M.F. Bromlei, V.V.Kucheruk. Reviewed by V.A.Turkus. Gig. i san. no. 10:59-60 0 '54.

(MIRA 7:11)

(FACTORIES--HEATING AND VENTILATION)

(BROMLEI, M.F.)

(KUCHERUK, V.V.)

BOGUSLAVSKIY, Leontiy Davidovich; TURKUS, V.A., red.; UCHITEL', I.Z.,  
red.izd-va; SHLIKHT, A.A., tekhn.red.

[Operation and maintenance of heating and ventilating systems]  
Tekhnicheskaya ekspluatatsiya otopitel'nykh i ventilatsionnykh  
sistem. Izd.3.. perer. i dop. Moskva, Izd-vo M-va kommun.khoz.  
RSFSR, 1959. 273 p. (MIRA 12:10)  
(Heating) (Ventilation)

BATURIN, Vladimir Vasil'yevich, prof., doktor tekhn.nauk; REP'YEV, B.V.,  
inzh., retsenzent; TURKUS, V.A., dotsent, retsenzent [deceased];  
BROMLEY, M.F., kand.tekhn.nauk, nauchnyy red.; SMIRNOVA, A.P.,  
red.izd-va; MEDVEDEV, L.Ya., tekhn.red.; STEPANOVA, E.S., tekhn.red.

[Heating, ventilation, and gas supply] Otoplenie, ventilatsiya i  
gazosnabzhenie. Moskva, Gos.izd-vo lit-ry po stroit., arkhit. i  
stroit.materialam. Pt.2. [Ventilation] Ventiliatsiya. 1959.  
(MIR 12:10)

287 p.

(Ventilation)

TURKUS, V.N.

ORLOV, Aleksandr Ivanovich, dotsent, kand.tekhn.nauk; DROZDOV, V.F.,  
dotsent, retsenszent; TURKUS, V.N., dotsent, nauchnyy red.;  
NINEMYAGI, D.K., red.izdatel'stva; GOSEVA, S.S., tekhn.red.;  
STEPANOVA, E.S., tekhn.red.

[Heating and ventilation] Teplosnabzhenie i ventiliatsiya.  
Izd.2-oe, perer. Moskva, Gos.izd-vo lit-ry po stroit.i arkhit..  
(MIRA 10:12)  
1957. 299 p. (Heating) (Ventilation)

Turkus, V. A.

TURKUS, V.A.

"Removing dust from ventilation and industrial exhaust into the air" by V.V.Kucheruk. Reviewed by V.A.Turkus. Gig.truda i prof. zab. 1 no.3:58-59 My-Je '57. (MIRA 11:1)  
(DUST--REMOVAL) (KUCHERUK, V.V.)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

TURKUS, V.A.

Heating a city dwelling. Politekh. obuch. no.9:54-69 § '57.  
(Heating) (MIRA 10:9)

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

TURKYEVICH, N. N.

28258

Rastvorimye soyedinyeniya vismuta N. N. Turkevich. (Sotsch). 1. Rastvor  
vismuta, yego akv. soyedinyeniya i arzichtat - (sotsch) 2. Katalyziruyu-  
ceyedinyeniya tsitrata vismuta s arzichtat. - (Sotsch). 3. Katalyziruyu-  
ceyedinyeniya vismuta s tsitrata: i. T. N. N. Zhurnal. T. 27. Iss. 2,  
1949, S. 243-57 - Bibliogr: 16 Namv.

SG: LETOFIS NO. 34

TURKULETS, V Ye.

b.3 PHASE I BOOK EXPLOITATION 1207

Nauchno-tekhnicheskoye obshchestvo priborostroitel'noy promyshlennosti.  
Moskovskoye pravleniye

Primeneniye poluprovodnikov v priborostroyenii; trudy konferentsii  
(Use of Semiconductors in Instrument Making; Transactions of a  
Conference) Moscow, Mashgiz, 1958. 258 p. 20,000 copies printed.

Ed. (Title page): Chistyakov, N.I., Doctor of Technical Sciences,  
Professor; Ed. (Inside book): Monastyrskaya, A.M., Engineer;  
Tech. Ed.: Uvarova, A.F.; Managing Ed. for Literature on  
Machine Building and Instrument Construction (Mashgiz):  
Pokrovskiy, N.V., Engineer.

PURPOSE: This book is intended for scientists, engineers and  
technicians working in the field of instrument making and for  
teachers and students of technical vuzes.

Card 1/5

Use of Semiconductors in Instrument Making (Cont.) 1207

COVERAGE: The articles in this collection describe semiconductor components of modern instruments, the physical basis of their applications, the principles of designing instruments equipped with semiconductors, and practical experience derived from the application of these instruments in various fields. No personalities are mentioned. There are 111 references, of which 54 are Soviet, 29 English, 17 German, 8 French, 1 Polish, 1 Czech, and 1 Japanese. References appear at the end of each article.

TABLE OF CONTENTS:

1. Chistyakov, N.I., Doctor of Technical Sciences, Professor. Semiconductors and Their Role in Modern Technology	3
2. Sheftel', I.T., Candidate of Technical Sciences. Thermistors and Their Applications	17

Card 2/ 5

## Use of Semiconductors in Instrument Making (Cont.) 1207

3. Udalov, N.P., Candidate of Technical Sciences.  
Selection of Operating Conditions for a Semiconductor Thermistor 47

4. Turkulets, V. Ye., Engineer. Some Types of Semiconductor Thermistors 52

5. Maksudov, F.M., Engineer. Thermistors with Indirect Heating 65

6. Afanas'yeva, N.S., Engineer. Operating Experience With ShT-1 and T-8 Thermistors 78

7. Rastopshin, A.S., Candidate of Technical Sciences.  
Application of Semiconductors in Computers for Designing Functional Quadripoles 83

Card 3/5

Use of Semiconductors in Instrument Making (Cont.)	1207
8. Kolomiyets, B.T., Doctor of Technical Sciences, Professor. Photoresistors and Their Basic Parameters	91
9. Kosman, M.S., Doctor of Physical and Mathematical Sciences, and Kolesova, O.I., Engineer. Photoresistors Made of PbO	114
10. Gutnikov, E. Yu., Engineer. Metallurgical Photorelays With Photoresistors	119
11. Zhuze, V.P., Candidate of Physical and Mathematical Sciences. Application of the Hall Effect in Semiconductors	135
12. Zheleztsova, T.P., Engineer. Experimental Investigation of Rectifier Current Meters With Point-contact and Junction Germanium Diodes	159

Card 45

Use of Semiconductors in Instrument Making (Cont.)	1207
13. Dolbnev, E.N., Engineer. Some Possibilities of Temperature Compensation in Detector Voltmeters	166
14. Gimoyan, G.G., Candidate of Technical Sciences. Protective and Automation Relays With Semiconductor Rectifiers	173
15. Ukhanov, Yu. I., Engineer. Modulation of Infrared Rays by Electric Current in a Germanium Diode	199
16. Kolenko, Ye. A., Engineer. Thermoelectric Cooling and Its Application in Instrument Making	123
17. Verbitskaya, T.N., Candidate of Technical Sciences. Variconds [Seignetto-Ceramic Capacitors] and Their Applications	231
18. Mikhaylova, Ye. K., Candidate of Technical Sciences. Investigation of Varicond Performance	246
AVAILABLE: Library of Congress	JP/ksv
Card 5/5	2-17-59

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6

VOROB'YEV, V.N., inzh.; TURLAKOV, A.S., inzh.

Studying the intercoil pulsation in single-pass marine boilers.  
(MIRA 13:9)  
Sudostroenie 30 no.7:28-30 Jl '64.

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757530007-6"

PUSHKIN, N.I.; TURLAKOV, A.S.; EYTVID, L.V.

Heat emission and the hydraulic resistance of steam air preheaters  
in marine boilers. Trudy LKI no.36:75-84 '62. (MIRA 16:12)

1. Kafedra sudovykh parovykh kotlov Leningradskogo korabli-  
stroitel'nogo instituta.

TURLAKOV, P.; DIMITROV, D.

"Let us prevent injuries to the young trees during the final phase of the general cutover in oak forests."

GORSKO STOPANSTVO, Sofia, Bulgaria, Vol. 15, no. 4, Apr. 1959.

Sept.  
Monthly list of East Europe Accessions (EEAI), LC, Vol. 8, No. 6, Jun 59  
Unclassified